

Hosecraft USA 2315 W. Hubbard St., Chicago, IL 60612 ph: 312-229-7550 fx: 312-421-6327 sales@hosecraftusa.com

www.hosecraftusa.com

HOSE REEL WORKSHEET

To have us assist you in choosing a hose reel, simply fill out and

fax to: 312-421-6327

1. Who's the r	eer for :		Street Address			
Company		Street Address				
Division		City	State	Zip (Country	
Contact		Telephone	Fax		Date	
2. What is the	reel for?					
Outside diameter Bend radius: Hose length: Hose weight: Flat hose dimens Coupling spacing Type of produ	st one: Storage only Dual hose cions: ct handled (check one): ecify type): ecify type): ectylene:	☐ Special mate ☐ Aluminum ☐ Bronze ☐ Connector s ☐ Hose outlet typ Size: ☐ Thread (check of ☐ National Pip ☐ Joint Industr	traight erial (internal hub assemble Malleable iron Steel ize: pe (riser):	Stainless steel		
☐ Other (spe ☐ Hydraulic ☐ Temperatu ☐ Pressure:_	res does the reel need?	☐ British Stand	e of installation and re	oller position f	or	
☐ MANUAL ☐ Disc rewind	☐ Gear-drive crank	spring reels				
☐ Direct crank ☐ POWER ☐ Spring ☐ Air	☐ Chain-drive crank ☐ Electric (voltage:	Lift	[Stretch (no rolle	er)	
Temperature Range:	Wall □ Overhead □ Vehicle	□ Dra	g □ Re	ecovery/Pick-up(no	roller)	
	standard):			tension		
Hose/Cable Stop:	☐ Yes ☐ No		SR (Standard)			
Length	e any size and/or weight limitation	Width			- 5	